
Industriestrasse 7 = 65366 Geisenheim = Germany www.topcon-electronics.de = dl-opus-info@topcon.com



Technical Data Sheet

OPUS B2 Plus Basic





1 Notes and Warnings

Attention!

This description is not a substitution for the concerned product's documentation. Please do read the documentation including the manuals carefully before dealing with this product. If the safety instructions in the documentation are not followed dangerous situation can occur that can result in damages, injuries and/or death by high voltage or wrong handling. In case you do not have the correct documentation, you can order it by contacting **opus-**

support@**topcon.com.** Only properly trained personnel with the correct qualification are allowed to handle the device.

Attention!

Do not open the housing to avoid danger to high voltage. Before touching the electric assemblies make sure that the electricity is switched off completely. If the front panel is broken the device needs to be taken out of service due to risk of injury. If perceivable damages on the device exist that can compromise the functionality, it must be taken out of service due to the danger of malfunctions. These particularly include damages to the LCD display, damages to the keyboard, damages that compromise the protection level and damages to the encoder knobs.

Please note:

All content is subject to change without notice. Errors and omissions excepted.

Mounting and Handling

• Do not use the cable as a handle to carry the device.

• Mounting in clean working environment only.

• Do not mount the device under the use of violence because it can cause damage.

- The device must be mounted by trained personnel only into especially designed and tested system.
- The device may not be opened or disassembled.
- The device is to be cleaned with a moist fuzz free cotton cloth. If necessary, a mild cleaning agent may be used. Do not use acid or abrasive cleaning agents.

• The device is to be stored in a cool and dry environment and to be protected against sunshine.

• If the environmental temperature is beneath 10°C the reaction time of the display increases.

• Picture sticking is possible at higher temperatures if no screensaver is used

2 General Information

Order numbers


This documentation is valid for OPUS B2 Plus - Series order numbers as follows:

	OPUSB2EP1CANB000 OPUSB2SP1CANB000	OPUSB2EP1CDSB000 OPUSB2SP1CDSB000
OPUS Projektor	٠	
CODESYS®		٠



Dimensions OPUS B2 Plus Eco

Industriestrasse 7 • 65366 Geisenheim • Germany www.topcon-electronics.de • dl-opus-info@topcon.com




• in-dash

Weight ~ 460g



Industriestrasse 7 • 65366 Geisenheim • Germany www.topcon-electronics.de • dl-opus-info@topcon.com

Dimensions OPUS B2 Plus Standard





3 Display

/	B2 Plus Eco Basic	B2 Plus Standard Basic	
Туре:	TFT Color Graphic L	TFT Color Graphic LCD with LED backlight	
Size:	~188 x 129 x 37,5 mm	~211 x 129 x 37,5 mm	
Resolution:	800 x 48	80 px, 15:9	
Colors:	16.	7 Mio.	
Brightness:	typ. 9	00 cd/m ²	
Contrast Ratio:	typ.	1.000:1	

4 Input Devices

Touch	N/A
Indicators and Sensors	6 keys with fluorescent print w/o Backlight (only B2 Plus Standard Basic)
	Light sensor

5 Electronics

Processor platform

CPU:	Freescale NXP i.MX 6 ULL 32-bit MPU, ARM Cortex-A7 core, 528MHz
Mass storage: RAM: RTC:	2 GB (4GB eMMC in pSLC-Mode) 256 MB, DDR3L, 1600Mbps run time counter, without buffer

Current consumption (without external load), max

Power Mode	Current at 12 V	
On	~390mA@12V (<5W)	
Off	~ 2mA@12V	

Buzzer N/A

Power supply

System supplied through terminal 30 (battery +, see pinout) and 31 (battery -, see pinout). Terminal 15 (ignition) to be used to switch on/off. Operating voltage range: 9 ... 36 V DC. Short circuit protection. Over-voltage protection up to 48 V, required to power up the device for max. 5 min. Inverse polarity protection up to -48 V DC for max. 5 min.



6 Interfaces

CAN Bus

2 x ISO 11898, CAN-specification 2.0 B active, up to 1 Mbit/s

All interfaces are CAN-FD tolerant

USB

Back connector: USB 2.0, Type C, high speed, 1A, short protected against Vbus, thermal protected, ault flag

7 Connectors

Connectors

Main Deutsch DT06-08SA

Back USB USB-Type C

8 Software

Operating System	Linux
Application Programming	 Topcon Projektor Tool CODESYS C/C++

9 Testing and Verification

CE-Compliance

EU Directive 2014/30/EU (EMC) according to

• EN 13309: Construction machinery – Electromagnetic compatibility of machines with internal electrical power supply

• EN ISO 14982: Agricultural and forestry machinery - Electromagnetic compatibility - Test methods and acceptance criteria

• EN 50498: Electromagnetic compatibility (EMC). Product family standard for aftermarket electronic equipment in vehicles

• EN 12895: Industrial Trucks – Electromagnetic compatibility

• EN 61000-6-2: Electromagnetic compatibility (EMC) - Generic standards - Immunity for industrial environments

• EN 61000-6-4: Electromagnetic compatibility (EMC). Generic standards. Emission standard for industrial environments



EMC Emission radiated

30-75 MHz	$62-52^1 dB(\mu V/m) - QP - 120 kHz$
	$52-42^1 dB(\mu V/m) - AV - 120 kHz$
75-400 MHz	$52-63^2 dB(\mu V/m) - QP - 120 kHz$
	$42\text{-}53^2dB(\mu V/m) - AV - 120kHz$
400-1000 MHz	63 dB(µV/m) – QP – 120kHz
	53 dB(µV/m) – AV – 120kHz
1000-2500 MHz	73 dB(µV/m) – P – 120kHz
	$53 \text{ dB}(\mu\text{V/m}) - \text{AV} - 120 \text{kHz}$
2500-6000 MHz	$80 \text{ dB}(\mu\text{V/m}) - \text{P} - 1000\text{kHz}$
	60 dB(µV/m) – AV – 1000kHz

QP: Quasi-Peak

- AV: Average
- P: Peak

1: Value decreases linearly with the logarithm of the frequency.

2: Value increases linearly with the logarithm of the frequency.

EMC Immunity radiated

20MHz to 800MHz with amplitude modulation 800MHz to 6GHz with pulse modulation

30V/m for the radiated field (absorber lined chamber) testing method (ISO 11452-2) in vertical and horizontal polarization OR/AND

60mA for the Bulk Current Injection (BCI) testing method (ISO 11452-4)

EMC Emission conducted

12V-System (Maximum values)	24V-System (Maximum values)
Positive slow pulses: +37V	Positive slow pulses: +37V
Negative slow pulses: -75V	Negative slow pulses: -150V
Positive fast pulses: +75V	Positive fast pulses: +150V
Negative fast pulses: -112V	Negative fast pulses: -150V

12 V-System

Test Pulse 1	Us = 112 V; FS: C
Test Pulse 2a	Us=+55V; FS: B
Test Pulse 2b	Us=+10V; FS: C
Test Pulse 3a	Us=-165V; FS: A
Test Pulse 3b	Us=+112V; FS: A
Test Pulse 4	Us ₆ =6V; Us=6.5 V
(Starting profile)	
Load Dump	Us=+35V; FS: C

Us=+55V; FS: B Us=+10V; FS: C Us=-165V; FS: A Us=+112V; FS: A Us₆=6V; Us=6.5 V FS: B Us=+35V; FS: C

24 V- System

Us=-450V; FS: C Us=+55V; FS: B Us=+20V; FS: C Us=-220V; FS: A Us=+220V; FS: A Us₆=6V; Us=10V FS: B

Us=+58V; FS: C

FS: Function Status



Electrostatic Discharge

+/- 4kV contact discharge; FS: A +/- 8kV contact discharge; FS: C

+/- 4kV air discharge; FS: A +/- 8kV air discharge; FS: B +/- 15kV air discharge; FS: C

E1 – Type approval

EU Directive ECE R 10

Protection Level (IP Code)

IP66 and IP67 according to ISO 20653: Road Vehicles – Degrees of protection (IP-Code) – Protection of electrical equipment against foreign objects, water and access

Electrical

12 and 24V-Systems according to:

Inverse Polarity resistance 5min @ -48V (no defect)

Over voltage resistance 5min @ +48V (no defect)

Start behavior

Start over Temperature Start at TRoom; decrease in 5°steps to TMin; go to TRoom; increase in 5°steps to THigh; Start DUT at each T; Successful start expected

Superimposed alternating voltage

Triangle signal, frequency sweep: 50Hz-25kHz-50Hz inside 60s; FS: A

Level	12V	24V
AC peak-to-peak UPP1	1VAC	4VAC
AC peak-to-peak UPP2	2VAC	4VAC
AC peak-to-peak UPP3	4VAC	10VAC

De-/Increase Supply Voltage

Sweep Voltage UMin-0V-UMin with 0.5V/min; FS: D



Drop in Supply Voltage

12 V System	24 V System
UStart=UMin; US=4.5V td=100ms; FS: B	UStart=UMin; US=9V td=100ms; FS: B

Battery less Operation

12 V System	24 V System
U1=10V; U2=18V; t=5min; FS: A	U1=20V; U2=38V; t=5min; FS: A

Mechanical

Vibration, noise

Frequency [Hz]	PSD [(m/s²)/Hz]
10	18
20	36
30	36
138	1.69
200	2
300	1
2000	1

32h per Axis; FS: A

Vibration, sinusoidal

Resonance sweep

Frequency	Displacement	Acceleration
10 Hz	-	1 g
2000 Hz	-	1 g

0,1 Octave/minute, 30min per resonance

Mechanical shock

Part 1: 300m/s², 18ms, 3 times per axis/direction; FS: A Part 2: 500m/s², 6ms, 10 times per axis/direction; FS: A Part 3: 400m/s², 6ms, 4000 times per axis/direction; FS: A

Endurance Test:

Frequency	Displacement	Acceleration
10 Hz	-	5 g
2000 Hz	-	5 g

0.5 Octave/minute, 8 h per resonance. FS: A



Drop Test

Drop the DUT on each side and each edge from a high of 1m on a concrete floor. No damage or visible damage.


Package Drop Test

Drop the DUT inside the package on each side and each edge from a high of 1m on a concrete floor. No damage of the DUT No cracks to the package

Climate

Salt spray resistance

Part 1: 7 cycles at 24h (8h spraying; 16h rest) salt concentration: 5% Part 2: 4 cycles at 168h; 4 cycle:



Chemical resistance

Apply once a day, for three days, the following chemicals with a brush over the exposed surface. Inspect without rinsing immediately afterwards and after 100h.

Alcohol, Antifreeze liquid (Ethyl-glycol), Diesel oil, Domestic Ammonia, Gasoline, Hydraulic oil 10W40, Liquid lime, Motor oil, NPK Chemical fertilizers 20 10 20, Windscreen cleaning mixture, Ammonium Nitrate and Ammonium Phosphate fertilizers, Bovine Effluent - (up to 5% propionic acid), Diesel fuel, STOU (Super Tractor Universal Oil) lubricating oil

Damp heat steady

10days @+40°C and 93%r.H.; FS: C

Damp heat cyclic

6 cycles (each 24h); TLow=+25°C; THigh=+55°C Humidity: >= 90%r.H.; FS: A

Operating temperature

Storage temperature

24h @ -30°C; FS: A 96h @ +75°C; FS: A 24h @ -40°C; FS: C 48h @ +85°C; FS: C

Temperature cycling

30 cycles (each 8h); TLow=-30°C; THigh=+75°C; FS: A

Temperature shock

100 cycles (each 2h); TLow=-30°C; THigh=+75°C; Tchange: <30s; FS: C

UV resistance

Over-all time: 1500h Cycle: 8h UV at +60°C, 4h 95%r.H. No material damage, No visible change



10 Pinout

Main connector pinout

Pin No.	Assignment	Description	
1	SERV_EN	Service Enable	
2	KL15	ignition input; terminal 15	
3	KL31	supply voltage -; terminal 31	
4	KL30	supply voltage +; terminal 30	
5	CAN 2 L	CAN 2 low	
6	CAN 2 H	CAN 2 high	
7	CAN 1 L	CAN 1 low	
8	CAN 1 H	CAN 1 high	